



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

February 11, 2015

James McFadden, Ph.D.
Directory, Regulatory Affairs
Farnam Companies, Inc.
1501 East Woodfield Rd, Suite 200 West
Schaumburg, IL 60173

Subject: Label Amendment – Changes to marketing claims and minor label changes
Product Name: Farnam Purge Pesticide
EPA Registration Number: 270-279
Application Date: November 24, 2014
Decision Number: 497778

Dear Dr. McFadden:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 270-279
Decision No. 497778

with FIFRA section 6. If you have any questions, please contact Jennifer Gaines at 703-305-5967 or via email at gaines.jennifer@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'Kable Bo Davis', enclosed within a hand-drawn oval.

Kable Bo Davis, Product Manager 03
Invertebrate & Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

Enclosure


(Front Panel, Lower Right, 1.5 x 1.5 cm)



FARNAM PURGE PESTICIDE

ALTERNATE BRAND NAMES:

[FARNAM] EQUI-SPOT SPOT-ON FLY CONTROL FOR HORSES
[FARNAM] EQUI-SPOT SPOT-ON PROTECTION FOR HORSES
PROTECTS HORSES FROM FLIES, GNATS MOSQUITOES AND TICKS
DO NOT USE ON CATS



HORSE CLAIMS

- PROTECTS HORSES FROM HOUSE FLIES, STABLE FLIES, FACE FLIES, HORN FLIES, EYE GNATS, AND TICKS
- KILLS & REPELS HOUSE FLIES, STABLE FLIES, FACE FLIES, HORN FLIES, EYE GNATS, AND TICKS ON HORSES
- [Kills & Repels/Kills, Repels] Gnats on Horses
- [Kills & Repels/Kills, Repels] Stable & Face flies that may cause Summer Sores
- Kills and Repels Ticks that may transmit Lyme disease, [anaplasmosis/equine ehrlichiosis, equine piroplasmosis,]
- Protects/Defends [your horse] [from/against] Ticks [that may transmit Lyme disease, anaplasmosis, equine ehrlichiosis or equine piroplasmosis] [for up to [14 days/2weeks]]

- AIDS IN THE CONTROL OF HORSE FLIES, DEER FLIES, MOSQUITOES AND BLACK FLIES ON HORSES
- Aids in protection against mosquitoes on horses
- Aids in the Defense of your horse from Mosquitoes [that may transmit West Nile Virus and eastern and western encephalitis] [for up to [14 days/2 weeks]]
- Protects/Defends/ [horses] [from Flies and Ticks] [for up to 14 days/2weeks]
- Repels Flies and Ticks [from horses] [for up to 14 days/2weeks]
- Protects/Defends/ [horses] from House, Stable & Face Flies that may cause Summer Sores
- Repels House, Stable & Face Flies that may cause Summer Sores
- Aids in the Control of Mosquitoes that may transmit West Nile Virus and eastern and western encephalitis
- Protection [for your horse] [from flies, ticks [,/and] mosquitoes][,gnats and other biting insects] when you [can't be/aren't] there
- Protects/defends your horse [from flies, ticks [,/and] mosquitoes] [,gnats and other biting insects] when you [can't be/aren't] there

PRODUT KILL/REPELLENT CLAIMS

- [KILLS AND REPELS/KILLS, REPELS] TICKS [ON HORSES] [that may transmit Lyme disease, [anaplasmosis, equine ehrlichiosis, equine piroplasmosis]]
- PROVIDES TICK PROTECTION ON LISTED PESTS
- Provides Mosquito protection

- Provides fly protection
- FIGHTS TICKS [ON HORSES]
- Fights Mosquitoes [on Horses] [That May Transmit [West Nile Virus/ West Nile Virus, eastern and western encephalitis]]
- Fights Flies [on Horses]
- [AIDS IN THE CONTROL OF /PROTECTS AGAINST] MOSQUITOES ON HORSES
- PROTECTS AGAINST TICKS [ON HORSES]
- Protects against flies [on Horses]
- Protects against flies, ticks, [gnats,] mosquitoes and other biting insects
- PROVIDES PROTECTION AGAINST TICKS [ON HORSES]
- Provides protection against flies on horses
- Provides Protection against flies, ticks, [gnats,] mosquitoes and other biting insects
- Protects/Defends [Your] Horse from/against Flies, Ticks, Mosquitoes & Gnats [& other biting insects] [for up to 14 days/2 weeks]
- Protects and Defends [Your] Horse from/against Flies, Ticks, Mosquitoes & Gnats [& other biting insects] [for up to 14 days/2 weeks]
- Protect/Defends Horses for up to [14 days/2 weeks] from Ticks, Flies, Gnats [&] Mosquitoes
- [Protects/Defends] [Your Horse] from Flies, Ticks, Mosquitoes and other biting insects [that may transmit disease [and/or] provide entry points for infection.]
- [Protects/Defends] [Your Horse] from Flies, Ticks, Mosquitoes and other biting insects [that may transmit disease][that may provide entry points for infection]
- Protects and Defends [Your Horse] from Flies, Ticks, Mosquitoes and other biting insects [that may transmit disease [and/or] provide entry points for infection.]
- Protects and Defends [Your Horse] from Flies, Ticks, Mosquitoes and other biting insects [that may transmit disease][that may provide entry points for infection.]
- Protects/Defends Your Horse from Biting Insects [that may transmit disease [and/or] provide entry points for infection.]
- Protects/Defends Your Horse from Biting Insects [that may transmit disease] [that may provide entry points for infection.]
- Protects/Defends Your Horse's Health from [disease /infection] that can be carried by biting insects.
- Protects/Defends Your Horse's Health from disease and infection that can be carried by biting insects.
- Protects/Defends Your Horse's Health from [disease/infection] that can be carried by ticks, mosquitoes, flies & other biting insects.
- Protects/Defends Your Horse's Health from disease and infection that can be carried by ticks, mosquitoes, flies & other biting insects.
- KILLS TICKS [ON HORSES]
- PROTECTS HORSES FROM TICKS
- Protects horses from ticks, mosquitoes flies and other biting insects
- [PROTECTS /DEFENDS] [YOUR HORSE] FROM MOSQUITOES THAT MAY TRANSMIT WEST NILE VIRUS [, EASTERN AND WESTERN ENCEPHALITIS]
- FIGHTS MOSQUITOES THAT MAY TRANSMIT WEST NILE VIRUS [, EASTERN AND WESTERN ENCEPHALITIS]

DURATION CLAIMS

- ONE [TUBE/APPLICATION] LASTS 14 DAYS [2 WEEKS]
- EQUINE SPOT-ON PROTECTION FOR UP TO 14 DAYS/2 WEEKS [EACH APPLICATION]
- PROTECTS/DEFENDS FOR UP TO 14 DAYS/2 WEEKS [EACH APPLICATION]
- UP TO 14 DAY/2 WEEKS SPOT-ON PROTECTION/DEFENSE FOR YOUR HORSE

MISCELLANEOUS CLAIMS

- WON'T SWEAT OFF!
- STAYS ON THROUGH SWEAT AND RAIN
- WATER AND SWEAT RESISTANT [FORMULA]
- SWEAT-RESISTANT SPOT-ON FOR HORSES
- SWEAT-RESISTANT [WATER RESISTANT] FORMULA
- FIELD TESTED AND PROVEN EFFECTIVE EVEN WHEN HORSE SWEATS [GETS WET]
- SWEAT AND WEATHER PROOF
- WEATHER PROOF
- IDEAL FOR PASTURED HORSES
- IDEAL FOR HORSES THAT WORK, PLAY OR LIVE OUT OF DOORS
- Protects/defends your Horse's Health and Comfort
- Helps [Protect/Defend] Your Horse from the Discomfort of Fly, Tick, Mosquito, & Gnats bites
- Helps Protect and Defend Your Horse from the Discomfort of Fly, Tick, Mosquito, & Gnats bites
- Helps [Protect/Defend] Your Horse from the Discomfort caused by biting insects
- Helps Protect and Defend Your Horse from the Discomfort caused by biting insects
- Defense Against the Discomfort of Fly, Tick, Mosquito, & Gnats bites
- Helps Defend Your Horse's Comfort by Protecting it from biting insects
- Protects/Defends the Comfort of your Horse from Biting insects [that may transmit disease and infection]
- Protects/defends your horse against [tick /,/and/fly] bites [that can provide entry points for infection & diseases [transmitted by [ticks/,/flies]]]
- Defense Zone Against Flies, Ticks, Mosquitoes & Gnats

SCENT CLAIMS

- [NOW WITH] CITRUS SCENT
- [NOW WITH] CITRONELLA SCENT

PACKAGE CLAIMS

- [4/6/12] WEEK SUPPLY
- TO LEARN HOW TO APPLY
SCAN the QR CODE
WATCH the VIDEO
(or go to) EQUI-SPOT.com
- Farnam - Your Partner in Horse Care™
- ICONS for Flies, Ticks, Mosquitoes



ACTIVE INGREDIENTS

Permethrin* (CAS #52645-53-1).....45.0%

OTHER INGREDIENTS55.0%

TOTAL100.0%

*cis/trans ratio: Max 55% (+) cis and min 45% (+) trans

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents:

3 0.34 fl. oz. (10.0 ml)] Applicators/Applications or 6 [0.34 fl. oz. (10.0 ml)]
Applicators/Applications or 2 0.34 fl. oz. (10.0 ml)] Applicators/Applications

EPA Reg. No.: 270-279

EPA Est. No.: _____

Manufactured For

Farnam Companies, Inc.

1501 E. Woodfield Rd. Suite 200W

Schaumburg, IL/Illinois 60173

www.farnam.com / equi-spot.com

(lot number statements as needed)

Mfg. & Printed in U.S.A.

(label revision number)

(product number)

(Back)

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON HORSES OVER 12 WEEKS OF AGE

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

[Box moved below]

Hazards to Humans: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Wear long-sleeved shirt and long pants, socks, shoes, and gloves. Remove and wash contaminated clothing before reuse. Wear protective eyewear.

Hazards to Domestic Animals:

DO NOT USE ON CATS. May be toxic and potentially fatal if applied to or ingested by cats.

FOR EXTERNAL USE ON HORSES ONLY.

Do not use on foals under 12 weeks of age. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing horses. Consult a veterinarian before using on horses with known organ dysfunction. DO NOT USE ON CATS or animals other than horses. Certain medications can interact with pesticides. It is advisable to consult a veterinarian before using this product with any other pesticide or drug.

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes • Call a poison control center or doctor for treatment advice.
In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged container or for product use information, call toll free: _____	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

Adverse Reactions: Some animals may be sensitive to ingredients in this product. Reactions in horses may include skin sensitivity. Horses may show lethargy, increased pruritus (itchiness), erythema (redness), rash and hair discoloration or hair loss at the application site. Observe horse following treatment. Sensitivity may occur after using ANY pesticide product on a horse. If signs of sensitivity occur bathe your horse with a mild, non-insecticidal shampoo and rinse with large amounts of water. If signs continue, consult a veterinarian immediately and report incident to company at 1-800-XXX-XXXX.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAMES

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HORSES

DO NOT USE ON HORSES INTENDED FOR FOOD USE

DO NOT USE ON FOALS UNDER 12 WEEKS (3 MONTHS) OF AGE

Remove product tube/applicator(s) from package. [Fold along perforation between tubes/applicators and tear off one tube/applicator. Return unused tubes/applicators to package.] Holding tube/applicator with notched end pointing up and away from face and body, snap off narrow end at notches. Apply one tube/applicator (10.0 ml) of product solution as follows:

Each line on applicator represents 2 ml of product
[horse diagram with ml markings appears here]

- 5 ml along the back line starting at the poll (top of head behind the ears), along the base of the mane, down the dorsal midline to the dock (base of the tail)
- 1 ml to the top of the forehead under the forelock
- 1 ml, as a stripe, to the back of each foreleg, from the ankle up to the knee (2 ml total)
- 1 ml, as a stripe, to the back of each hindleg, from the ankle up to the hock (2 ml total)
- Do not allow the product to contact horse's eyes or mucous membranes
- Wrap tube/applicator and put in trash
- Do not reapply for 14 days (2 weeks).

Alternate Application Instruction Set 1

<Brand/Product Name> is most effective when applied such that it can spread over the largest portion of the horse's body surface possible. For maximum protection, apply product as described below to the specified target areas in each Defense Zone.

Remove product applicators from package. Fold along perforation between applicators and tear off one application. Return unused applicators to package. Holding applicator with tipped end pointing up and away from face and body, snap off narrow end at fold line. Apply one applicator (10ml) of [Brand/Product Name] product solution as follows:

Instructions for applying [product/Product Name] on horse:

Hold the left and right sides of applicator between your thumb and index finger. With the back end of applicator tilted slightly downward, softly place the flat edge of the applicator tip on the location where you want to apply product. Slowly tip back end of applicator upward until a spot of product, approximately the size of a quarter, is expelled from applicator.

For optimum effectiveness, apply one spot to each location pictured in diagram below. Apply to both the right AND left sides of the horse. Use all product in applicator.

Defense Zone I- Head, Neck & Chest:

- Top of forehead and under the forelock

- Poll area
- Side of head at mid jaw line
- Side of neck
- Chest area

Defense Zone II- Body


- Withers
- Upper hip
- Side of hip
- Lower side of horse

Defense Zone III - Legs:

- On the back of both front legs beginning at knee
- On the back of both hind legs beginning at hock

Do not allow the product to contact horse's eyes or mucous membranes

When finished, wrap tube/applicator and put in trash
Do not reapply for 14 days (2 weeks).



STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in cool, dry place. Protect from freezing.

Pesticide Disposal: If empty: Do not reuse container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE OF WARRANTY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, FARNAM COMPANIES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORDANCE WITH THE STATEMENTS MADE ON THIS LABEL.

Spot-on tube/applicator label

TUBE/APPLICATOR LABEL (folding card and flat card packaging designs)

FARNAM PURGE INSECTICIDE
{CAT ICON}

PERMETHRIN 45% W/W

KEEP OUT OF REACH OF CHILDREN

CAUTION

{DO NOT USE ON CATS}

READ DIRECTIONS AND

PRECAUTIONS BEFORE USING

EPA Reg. No. 270-279

{USE THIS STATEMENT AND/OR CAT ICON IN CIRCLE WITH SLASH}

